



The next recycling technologies™


RESISTANCE,
PRECISION,
RELIABILITY.

IT'S HARD
TO BE SO
EASY



EASY ONE

Easy One is the resistant, reliable, and versatile disc screen designed for the processing of compost, tires, shredded C&D and wood (biomass and waste wood).



**THE BEST SOLUTION FOR
COMPOST - TIRES - SHREDDED C&D
WOOD (BIOMASS AND WASTE WOOD)**



Easy One 3000



Easy One 4000



Easy One 5000



Easy One 6000



FLAT PROFILE DISCS

Thanks to this design, the material flows along the screening surface with an up-and-down motion that efficiently separates the waste. The undersized material drops under the screening surface, passing through the gaps between the discs, while the oversized material advances to the end of the screening surface. **The result is a clean fraction, ready for recycling.**

TOP PRODUCTION

EASY ONE, EASILY DONE

Thanks to its highly resistant structure, Easy One ensures **production volumes at the top of the industry for all materials treated.** Easy One was designed to reduce the stresses and vibrations caused by heavier materials. In this way, wear and maintenance are reduced to a minimum, which results in **lower overall management costs.**

60 T/H
wood*
45 T/H
compost

30 T/H
shredded c&d
16 T/H
tires



* Wood ((biomass and waste wood))

UP TO 14 POSSIBLE SCREENING CONFIGURATIONS

Easy One is available in 4 versions, with screening surfaces from 3 to 6 meters in length. Depending on the material processed, Easy One can be configured to work with 2 or 3 screening fractions and sections ranging from 20 mm to 100 mm. It is therefore possible to choose among 14 screening configurations in the 4, 5, 6 meter versions and among 5 configurations in the 3 meter versions.

| MOD. | No. CONFIGURATIONS | SECTIONS FOR 2 FRACTIONS MM | SECTIONS FOR 3 FRACTIONS MM | SCREENING SURFACE M ² | CAPACITY T/H WOOD (BIOMASS AND WASTE WOOD) | CAPACITY T/H SHREDDED C&D | CAPACITY T/H COMPOST | CAPACITY T/H TIRES |
|------|--------------------|-----------------------------|--|----------------------------------|--|---------------------------|----------------------|--------------------|
| 3000 | 5 | 20 / 30 / 50 / 80 / 100 | - | 3,75 | 30 | 5 | 25 | 4 |
| 4000 | 14 | 20 / 30 / 50 / 80 / 100 | 20-30 / 20-50 / 20-80 / 20-100 / 30-50 / 30-80 / 30-100 / 50-80 / 50-100 | 5 | 40 | 10 | 30 | 8 |
| 5000 | 14 | 20 / 30 / 50 / 80 / 100 | 20-30 / 20-50 / 20-80 / 20-100 / 30-50 / 30-80 / 30-100 / 50-80 / 50-100 | 6,25 | 50 | 20 | 40 | 12 |
| 6000 | 14 | 20 / 30 / 50 / 80 / 100 | 20-30 / 20-50 / 20-80 / 20-100 / 30-50 / 30-80 / 30-100 / 50-80 / 50-100 | 7,50 | 60 | 30 | 45 | 16 |

| EASY ONE | | 3000 | 4000 | 5000 | 6000 |
|------------------------|----|-------------|-------------|-------------|-------------|
| SCREENING LENGTH | MM | 3000 | 4000 | 5000 | 6000 |
| SCREENING WIDTH | MM | 1270 | 1270 | 1270 | 1270 |
| TOTAL WIDTH | MM | 2030 | 2030 | 2030 | 2030 |
| TOTAL HEIGHT | MM | 1050 | 1050 | 1050 | 1050 |
| HEIGHT WITH COVER OPEN | MM | 1800 | 1800 | 1800 | 1800 |
| MASS | T | 5 | 6,5 | 8 | 9,5 |
| DISCS | | HEXAGONAL | | | |
| DISC DIAMETER | MM | 250 / 350 | | | |
| POWER INSTALLED | kW | 1 x 7,5 | 1 x 7,5 | 2 x 7,5 | 2 x 7,5 |

Ecostar Srl

Via L. da Vinci 6
36066 Sandrigo
Vicenza, Italy

E: info@ecostarsrl.it
W: www.ecostar.eu.com
P: (+39) 0444 750 942



ECOSTAR
The next recycling technologies™